## **Hospec THIN BLEACH 5 Litres - 3001216**

Date: 19/01/2015 Page 1/7

Revision: N°3 (29/12/2014)



# **SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: Hospec THIN BLEACH 5 Litres

Product code: 3001216.

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Type: Thin Bleach

## 1.3. Details of the supplier of the safety data sheet

Registered company name: McBride Plc Middleton.

Address: Middleton Way, Middleton.M24 4DP.Manchester.UK.

Telephone: +44 (0) 161 653 9037. Fax:.

MSDS@mcbride.co.uk www.detergentinfo.com

## 1.4. Emergency telephone number: +44 (0) 161 653 9037.

Association/Organisation: .

#### **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

#### In compliance with EC regulation No. 1272/2008 and its amendments.

Skin irritation, Category 2 (Skin Irrit. 2, H315).

Eye irritation, Category 2 (Eye Irrit. 2, H319).

Hazardous to the aquatic environment - Chronic hazard, Category 3 (Aquatic Chronic 3, H412).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

# In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

Skin irritation (Xi, R 38).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

#### 2.2. Label elements

Biocidal detergent mixture (see section 15).

## In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms:



GHS07

Signal Word:

WARNING

Additional labeling :

EUH206 Warning! Do not use together with other products. May release dangerous gases (chlorine).

Hazard statements:

H315 Causes skin irritation.
H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements - General :

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.
P103 Read label before use.

Precautionary statements - Prevention :

P264 Wash hands thoroughly after handling.
P273 Avoid release to the environment.

Version : N°1 (29/12/2014) McBride Plc Middleton / 0028

## **Hospec THIN BLEACH 5 Litres - 3001216**

Date: 19/01/2015 Page 2/7

Revision: N°3 (29/12/2014)

Precautionary statements - Response :

P302 + P352 IF ON SKIN: Wash with plenty of water/...

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

P332 + P313 If skin irritation occurs: Get medical advice/attention.
P337 + P313 If eye irritation persists: Get medical advice/attention.

Precautionary statements - Disposal:

P501 Dispose of contents/container in accordance with local requirements for domestic waste disposal.

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

#### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2. Mixtures

## **Composition:**

Identification	(EC) 1272/2008	67/548/EEC	Note	%
INDEX: 017_011_00_1	GHS05, GHS09	C,N	В	0 <= x % < 2.5
CAS: 7681-52-9	Dgr	C;R34		
EC: 231-668-3	Met. Corr. 1, H290	Xi;R37		
REACH: 01-2119488154-34-xxxx	Skin Corr. 1B, H314	N;R50		
	Aquatic Acute 1, H400	R31		
SODIUM HYPOCHLORITE, SOLUTION CL	M Acute = 10			
ACTIVE	Aquatic Chronic 1, H410			
	M Chronic = 1			
	EUH:031			

## **SECTION 4: FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

# 4.1. Description of first aid measures

# In the event of splashes or contact with eyes:

Wash thoroughly with soft, clean water for 15 minutes holding the eyelids open.

If there is any redness, pain or visual impairment, consult an ophthalmologist.

## In the event of splashes or contact with skin:

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

If the contaminated area is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

## In the event of swallowing:

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Seek medical attention immediately, showing the label.

#### 4.2. Most important symptoms and effects, both acute and delayed

No data available.

## 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

# **SECTION 5: FIREFIGHTING MEASURES**

Non-flammable.

#### 5.1. Extinguishing media

## 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- chlorine (Cl2)

#### Hospec THIN BLEACH 5 Litres - 3001216

Date: 19/01/2015 Page 3/7

Revision: N°3 (29/12/2014)

## 5.3. Advice for firefighters

No data available.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

#### For non first aid worker

Avoid any contact with the skin and eyes.

#### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

## 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

## 6.3. Methods and material for containment and cleaning up

If the ground is contaminated, once the product has been recovered by sponging with an inert and non-combustible absorbent material, wash the contaminated area in plenty of water.

Clean preferably with a detergent, do not use solvents.

#### 6.4. Reference to other sections

No data available.

#### **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

## 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

## Fire prevention:

Prevent access by unauthorised personnel.

## Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Avoid skin and eye contact with this mixture.

# Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

# 7.2. Conditions for safe storage, including any incompatibilities

No data available.

## Storage

Keep out of reach of children.

# **Packaging**

Always keep in packaging made of an identical material to the original.

# 7.3. Specific end use(s)

No data available.

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1. Control parameters

No data available.

# 8.2. Exposure controls

## Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

Version : N°1 (29/12/2014) McBride Plc Middleton / 0028

## **Hospec THIN BLEACH 5 Litres - 3001216**

Date: 19/01/2015 Page 4/7

Revision: N°3 (29/12/2014)

## - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles with protective sides accordance with standard EN166.

In the event of high danger, protect the face with a face shield.

Prescription glasses are not considered as protection.

Individuals wearing contact lenses should wear prescription glasses during work where they may be exposed to irritant vapours.

Provide eyewash stations in facilities where the product is handled constantly.

#### - Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Natural latex
- PVC (polyvinyl chloride)

Recommended properties:

- Impervious gloves in accordance with standard EN374

#### - Body protection

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing:

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605 to prevent skin contact.

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034 to prevent skin contact.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1. Information on basic physical and chemical properties

#### **General information:**

Physical state: Fluid liquid.

Important health, safety and environmental information

pH: Not stated.

Strongly basic. Not specified.

Boiling point/boiling range:

Flash point interval:

Vapour pressure (50°C):

Not relevant.

Not relevant.

Density:> 1Water solubility:Soluble.Melting point/melting range:Not specified.Self-ignition temperature:Not specified.Decomposition point/decomposition range:Not specified.

Colour : Characteristic Odour : Characteristic 9.2. Other information No data available.

# SECTION 10: STABILITY AND REACTIVITY

# 10.1. Reactivity

No data available.

## 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

Version: N°1 (29/12/2014) McBride Plc Middleton / 0028

## Hospec THIN BLEACH 5 Litres - 3001216

Date: 19/01/2015 Page 5/7

Revision: N°3 (29/12/2014)

## 10.3. Possibility of hazardous reactions

No data available.

#### 10.4. Conditions to avoid

Avoid:

- frost

## 10.5. Incompatible materials

## 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- chlorine (Cl2)

## **SECTION 11: TOXICOLOGICAL INFORMATION**

#### 11.1. Information on toxicological effects

May cause irreversible damage to the skin; namely inflammation of the skin or the formation of erythema and eschar or oedema following exposure up to four hours.

May have reversible effects on the eyes, such as eye irritation which is totally reversible by the end of observation at 21 days.

#### 11.1.1. Substances

No toxicological data available for the substances.

#### 11.1.2. Mixture

#### Skin corrosion/skin irritation:

The irritant classification is based on the high/low pH value without irritation tests having been performed.

#### **SECTION 12: ECOLOGICAL INFORMATION**

Harmful to aquatic life with long lasting effects.

The product must not be allowed to run into drains or waterways.

#### 12.1. Toxicity

#### 12.1.1. Substances

SODIUM HYPOCHLORITE, SOLUTION ...% CL ACTIVE (CAS: 7681-52-9)

Fish toxicity: 0.01 < LC50 <= 0.1 mg/l

Factor M = 10

Duration of exposure : 96 h

0,01 < NOEC <= 0,1 mg/l Duration of exposure : 28 days

Crustacean toxicity: 0.01 < EC50 <= 0.1 mg/l

Factor M = 10

Species : Ceriodaphnia sp. Duration of exposure : 48 h

0,001 < NOEC <= 0,01 mg/l

Factor M = 1

Duration of exposure : 7 days

Algae toxicity: 0.01 < ECr50 <= 0.1 mg/l

Factor M = 10

Duration of exposure: 72 h

0,001 < NOEC <= 0,01 mg/l

Factor M = 1

Duration of exposure: 7 days

## **12.1.2.** Mixtures

# 12.2. Persistence and degradability

# 12.2.1. Substances

SODIUM HYPOCHLORITE, SOLUTION ...% CL ACTIVE (CAS: 7681-52-9)

Version : N°1 (29/12/2014) McBride Plc Middleton / 0028

# **Hospec THIN BLEACH 5 Litres - 3001216**

Biodegradability: Rapidly degradable.

**12.2.2.** Mixtures

no degradability data is available, the substance is considered as not degrading quickly.

Date: 19/01/2015 Page 6/7

Revision: N°3 (29/12/2014)

Biodegradability:

#### 12.3. Bioaccumulative potential

No data available.

#### 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

No data available.

#### 12.6. Other adverse effects

No data available.

## **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

## Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

# **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

## **SECTION 15: REGULATORY INFORMATION**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## - Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

# - Container information:

No data available.

## - Particular provisions :

No data available.

## 15.2. Chemical safety assessment

No data available.

Version : N°1 (29/12/2014) McBride Plc Middleton / 0028

# Hospec THIN BLEACH 5 Litres - 3001216

Date: 19/01/2015 Page 7/7

Revision: N°3 (29/12/2014)

#### **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

#### In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

## Hazard symbols:



Irritan

Risk phrase:

R 38 Irritating to skin.

Warning! Do not use together with other products. May release dangerous gases (chlorine).

Safety phrase:

S 2 Keep out of the reach of children.

S 46 If swallowed, seek medical advice immediately and show this container or label.

S 37 Wear suitable gloves.

S 64 If swallowed, rinse mouth with water (only if the person is conscious).

## Title for H, EUH and R indications mentioned in section 3:

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH031 Contact with acids liberates toxic gas. R 31 Contact with acids liberates toxic gas.

R 34 Causes burns.

R 37 Irritating to respiratory system.
R 50 Very toxic to aquatic organisms.

#### **Abbreviations:**

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

GHS07: Exclamation mark