Supersedes date 15/02/2011



SAFETY DATA SHEET

Swarfega Powerwash Ultra Concentrate

According to Regulation (EU) No 453/2010

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name Swarfega Powerwash Ultra Concentrate

Product No. PUC25L, PUC84PNR

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Detergent.

1.3. Details of the supplier of the safety data sheet

Supplier Deb Ltd

Denby Hall Way

Denby Derbyshire DE5 8JZ

Main Tel. 01773 855100 Technical Tel 01773 855105

reach@deb.co.uk

1.4. Emergency telephone number

National Poisons Information Service 0844 8920111

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification (1999/45/EEC) C;R34.

Environment

The product does not meet the requirement for classification as an environmental hazard in accordance with directive 1999/45/EEC

2.2. Label elements

Detergent Labelling

15 - < 30% EDTA and salts thereof 5 - < 15% amphoteric surfactants non-ionic surfactants

< 5% perfumes Contains LIMONENE

Labelling



Corrosive

Risk Phrases

R34 Causes burns.

Safety Phrases

S20 When using do not eat or drink. S24/25 Avoid contact with skin and eyes.

S26 In case of contact with eyes, rinse immediately with plenty of

water and seek medical advice.

S36/37/39 Wear suitable protective clothing, gloves and eye/face

protection.

S64 If swallowed, rinse mouth with water (only if the person is

conscious).

S27 Take off immediately all contaminated clothing.

S28 After contact with skin, wash immediately with plenty of water.

2.3. Other hazards

Eye Dam. 1 - H318

This product does not contain any PBT or vPvB substances.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

TETRASODIUM ETHYLENE DI	AMINE TETRAACETAT	E	10-30%
CAS-No.: 64-02-8	EC No.: 200-573-9	Registration Number	: 01-2119486762-27
Classification (EC 1272/2008) Acute Tox. 4 - H302 Eye Dam. 1 - H318		Classification (67/548/EEC) Xn;R22 Xi;R41	
SODIUM LAURIMINODIPROPIO	ONATE		5-10%
CAS-No.: 14960-06-6	EC No.: 239-032-7		
Classification (EC 1272/2008) Eye Irrit. 2 - H319		Classification (67/548/EEC) Xi;R36.	
C9-C11 ALCOHOL ETHOXYLA	TE + 6 MOLES ETHYLE	ENE OXIDE	1-5%
CAS-No.: 68-43-9	EC No.:		
Classification (EC 1272/2008) Acute Tox. 4 - H302 Eye Dam. 1 - H318		Classification (67/548/EEC) Xn;R22. Xi;R41.	
SODIUM HYDROXIDE			1-5%
CAS-No.: 1310-73-2	EC No.: 215-185-5		
Classification (EC 1272/2008) Skin Corr. 1A - H314		Classification (67/548/EEC) C;R35	
COCAMINE OXIDE			1-5%
CAS-No.: 61788-90-7	EC No.: 263-016-9		
Classification (EC 1272/2008) Skin Irrit. 2 - H315		Classification (67/548/EEC) Xi;R38,R41.	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation

Unlikely route of exposure as the product does not contain volatile substances. In case of inhalation of spray mist: Move person into fresh air and keep at rest. Get medical attention if any discomfort continues.

Ingestion

NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Rinse mouth thoroughly. Get medical attention immediately!

Skin contact

Remove affected person from source of contamination. Remove contaminated clothing. Wash the skin immediately with soap and water. Get medical attention promptly if symptoms occur after washing.

Eye contact

Remove victim immediately from source of exposure. Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Get medical attention immediately. Continue to rinse.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation.

This is unlikely to occur but symptoms similar to those of ingestion may develop.

Ingestion

May cause chemical burns in mouth and throat. May cause stomach pain or vomiting.

Skin contact

May cause serious chemical burns to the skin.

Eye contact

May cause blurred vision and serious eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

No specific first aid measures noted.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media

This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products

None known.

5.3. Advice for firefighters

Special Fire Fighting Procedures

No specific fire fighting procedure given.

Protective equipment for fire-fighters

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Do not allow ANY environmental contamination.

6.3. Methods and material for containment and cleaning up

DO NOT TOUCH SPILLED MATERIAL! Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush with plenty of water to clean spillage area.

6.4. Reference to other sections

For personal protection, see section 8.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Avoid spilling, skin and eye contact.

7.2. Conditions for safe storage, including any incompatibilities

Store in closed original container at temperatures between 0°C and 40°C.

Storage Class

Corrosive storage.

7.3. Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Name	STD	TWA	- 8 Hrs	STEL	- 15 Min	Notes
SODIUM HYDROXIDE	WEL				2 mg/m3	

WEL = Workplace Exposure Limit.

Ingredient Comments

WEL = Workplace Exposure Limits

8.2. Exposure controls

Protective equipment







Process conditions

Provide eyewash, quick drench.

Engineering measures

Provide sufficient ventilation during operations which cause vapour formation.

Respiratory equipment

No specific recommendation made, but respiratory protection may still be required under exceptional circumstances when excessive air contamination exists.

Hand protection

Use suitable protective gloves if risk of skin contact. The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material.

Eye protection

Wear goggles/face shield.

Other Protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures

Wash promptly if skin becomes wet or contaminated. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

AppearanceLiquidColourRed.OdourPerfume.

Solubility Soluble in water.

Initial boiling point and boiling range

Not determined.

Melting point (°C)

Not determined.

Relative density 1.158-1.178 25C

Vapour density (air=1)

Not determined.

Evaporation rate

Not determined.

pH-Value, Conc. Solution

Not determined.

Viscosity

Not determined.

Decomposition temperature (°C)

Not determined.

Odour Threshold, Lower

Not determined.

Odour Threshold, Upper

Not determined.

Flash point

Not applicable.

Auto Ignition Temperature (°C)

Not applicable.

Flammability Limit - Lower(%)

Not applicable.

Flammability Limit - Upper(%)

Not applicable.

Partition Coefficient

(N-Octanol/Water)

Not determined.

Explosive properties

Not applicable.

Oxidising properties

Does not meet the criteria for oxidising.

9.2. Other information

None.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No specific reactivity hazards associated with this product.

10.2. Chemical stability

Stable under normal temperature conditions.

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

Avoid excessive heat for prolonged periods of time. Avoid contact with acids.

10.5. Incompatible materials

Materials To Avoid

Strong oxidising substances. Strong acids.

10.6. Hazardous decomposition products

Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2).

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity:

Based on available data the classification criteria are not met.

Skin Corrosion/Irritation:

Corrosive to skin.

Serious eye damage/irritation:

Skin corrosive; corrosivity to eyes is assumed. No testing is needed.

Respiratory or skin sensitisation:

Based on available data the classification criteria are not met.

Germ cell mutagenicity:

Does not contain any substances known to be mutagenic.

Carcinogenicity:

Does not contain any substances known to be carcinogenic.

Reproductive Toxicity:

Does not contain any substances known to be toxic to reproduction.

Specific target organ toxicity - single exposure:

STOT - Single exposure

No information available.

Specific target organ toxicity - repeated exposure:

STOT - Repeated exposure

No information available.

Aspiration hazard:

Based on available data the classification criteria are not met.

Inhalation

May cause damage to mucous membranes in nose, throat, lungs and bronchial system.

Ingestion

May cause burns in mucous membranes, throat, oesophagus and stomach.

Skin contact

May cause serious chemical burns to the skin.

Eve contact

Causes burns.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

The product may affect the acidity (pH-factor) in water with risk of harmful effects to aquatic organisms.

12.1. Toxicity

Acute Fish Toxicity

The product may affect the acidity (pH-factor) in water with risk of harmful effects to aquatic organisms.

12.2. Persistence and degradability

Degradability

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

Bioaccumulative potential

No data available on bioaccumulation.

Partition coefficient

Not determined.

12.4. Mobility in soil

Mobility:

Mobile.

12.5. Results of PBT and vPvB assessment

Not Classified as PBT/vPvB by current EU criteria.

12.6. Other adverse effects

None known.

SECTION 13: DISPOSAL CONSIDERATIONS

General information

When handling waste, consideration should be made to the safety precautions applying to handling of the product. Waste to be treated as controlled waste. Disposal to licensed waste disposal site in accordance with local Waste Disposal Authority.

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements. Residues and empty containers should be taken care of as hazardous waste according to local and national provisions. Recover and reclaim or recycle, if practical.

SECTION 14: TRANSPORT INFORMATION

14.1. UN number

UN No. (ADR/RID/ADN) 1719 UN No. (IMDG) 1719 UN No. (ICAO) 1719

14.2. UN proper shipping name

Proper Shipping Name CAUSTIC ALKALI LIQUID, N.O.S.(SODIUM HYDROXIDE, EDTA)

14.3. Transport hazard class(es)

ADR/RID/ADN Class 8

ADR/RID/ADN Class Class 8: Corrosive substances.

ADR Label No. 8
IMDG Class 8
ICAO Class/Division 8

Transport Labels



14.4. Packing group

ADR/RID/ADN Packing

Ш

group

IMDG Packing group III
ICAO Packing group III

14.5. Environmental hazards

Environmentally Hazardous Substance/Marine Pollutant

No.

14.6. Special precautions for user

EMS F-A, S-B

Emergency Action Code 2R
Hazard No. (ADR) 80
Tunnel Restriction Code (E)

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Legislation

Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments. Commission Directive 91/322/EEC of 29 May 1991 on establishing indicative limit values by implementing Council Directive 80/1107/EEC on the protection of workers from the risks related to exposure to chemical, physical and biological agents at work.

15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out.

SECTION 16: OTHER INFORMATION

General information

Only trained personnel should use this material.

Revision Comments
Revision of information

Revision Date 01/07/2011

Revision 2

Supersedes date 15/02/2011

Risk Phrases In Full

R34 Causes burns.

R35 Causes severe burns.
R22 Harmful if swallowed.
R36 Irritating to eyes.
R38 Irritating to skin.

R41 Risk of serious damage to eyes.

Hazard Statements In Full

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage. H319 Causes serious eye irritation.

Notes for Risk Phrases and Hazard Statements in Full

The full text for Risk Phrases and Hazard Statements in section 16 relates to the reference numbers in sections 2 and 3 and not necessarily the finished product classification.

Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.