

SAFETY DATA SHEET B3294 PLASTIC WELD ACTIVATOR

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name B3294 PLASTIC WELD ACTIVATOR

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses 2 Part Adhesive

1.3. Details of the supplier of the safety data sheet

Supplier BONDLOC UK LTD
UNIT 2 BEWDLEY BUSINESS PARK
LONG BANK
BEWDLEY
WORCESTERSHIRE
DY12 2TZ
01299 269269
01299 269210
sales@bondloc.co.uk

1.4. Emergency telephone number

+44 (0)1299 269269 Monday - Friday 09:00-17:00 hrs

National Emergency Telephone Number

+44 (0)1299 269269 Mon-Fri 09:00-17:00hrs

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical and Chemical Hazards	Flam. Liq. 2 - H225
Human health	Skin Irrit. 2 - H315; Skin Sens. 1 - H317; STOT SE 3 - H335
Environment	Not classified.

Classification (1999/45/EEC)

Xi; R37/38. R43. F; R11.

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

2.2. Label elements

Contains METHYL METHACRYLATE

Label In Accordance With (EC) No. 1272/2008



Signal Word Danger

Hazard Statements

H225	Highly flammable liquid and vapour.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H335	May cause respiratory irritation.

Precautionary Statements

P210	Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P501	Dispose of contents/container to ...

Supplementary Precautionary Statements

P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.

B3294 PLASTIC WELD ACTIVATOR

P241	Use explosion-proof electrical equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P272	Contaminated work clothing should not be allowed out of the workplace.
P261	Avoid breathing vapour/spray.
P264	Wash contaminated skin thoroughly after handling.
P321	Specific treatment (see medical advice on this label).
P370+378	In case of fire: Use foam, carbon dioxide, dry powder or water fog for extinction.
P302+352	IF ON SKIN: Wash with plenty of soap and water.
P303+361+353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P312	Call a POISON CENTER or doctor/physician if you feel unwell.
P332+313	If skin irritation occurs: Get medical advice/attention.
P333+313	If skin irritation or rash occurs: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P403+233	Store in a well-ventilated place. Keep container tightly closed.
P403+235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.

2.3. Other hazards

No data available / Not applicable

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

3,5-DIETHYL-1,2-DIEHYDRO-1-PHENYL-2-PROPYLPYRIDINE	1-5%
CAS-No.: 34562-31-7	EC No.: 252-091-3
Classification (EC 1272/2008) Acute Tox. 4 - H302 Skin Irrit. 2 - H315	Classification (67/548/EEC) Xn;R22. Xi;R38.
METHYL METHACRYLATE	60-100%
CAS-No.: 80-62-6	EC No.: 201-297-1
Classification (EC 1272/2008) Flam. Liq. 2 - H225 Skin Irrit. 2 - H315 Skin Sens. 1 - H317 STOT SE 3 - H335	Classification (67/548/EEC) F;R11 R43 Xi;R37/38

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General information

Avoid contact with skin and eyes. Do not breathe vapors/spray. In case of accident or if you feel unwell, seek medical advice immediately

Inhalation

Move the exposed person to fresh air at once. When breathing is difficult, properly trained personnel may assist affected person by administering 100% oxygen. Get medical attention if any discomfort continues.

Ingestion

Do not induce vomiting. Drink plenty of water. Get medical attention.

Skin contact

Remove affected person from source of contamination. Wash skin thoroughly with soap and water for several minutes. Contact physician if irritation continues.

B3294 PLASTIC WELD ACTIVATOR

Eye contact

Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes and get medical attention. Contact physician if irritation persists.

4.2. Most important symptoms and effects, both acute and delayed

General information

No further relevant information available

4.3. Indication of any immediate medical attention and special treatment needed

See section: Description of first aid measures

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media

Foam, carbon dioxide or dry powder.

5.2. Special hazards arising from the substance or mixture

Unusual Fire & Explosion Hazards

May travel considerable distance to source of ignition and flash back.

Specific hazards

Highly flammable, avoid breathing fire vapors. May travel considerable distance to source of ignition and flash back. Polymerises, generating heat

5.3. Advice for firefighters

Special Fire Fighting Procedures

Keep up-wind to avoid fumes. Avoid water in straight hose stream; will scatter and spread fire. Cool containers exposed to flames with water until well after the fire is out. Keep run-off water out of sewers and water sources. Dike for water control.

Protective equipment for fire-fighters

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Warn everybody of potential hazards and evacuate if necessary. Provide adequate ventilation. Remove sources of ignition. Avoid inhalation of spray mist and contact with skin and eyes. Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Do not allow to enter drains, sewers or watercourses. Spillages or uncontrolled discharges into watercourses must be IMMEDIATELY alerted to the Environmental Agency or other appropriate regulatory body.

6.3. Methods and material for containment and cleaning up

Absorb spillage with non-combustible, absorbent material. Transfer to a container for disposal. Containers with collected spillage must be properly labelled with correct contents and hazard symbol.

6.4. Reference to other sections

See advice in section 8 See section 7 for information on safe handling.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded. Avoid inhalation of vapours/spray and contact with skin and eyes. Take precautionary measures against static discharge.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed original container in a well-ventilated place.

7.3. Specific end use(s)

2 Part adhesive

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Name	STD	TWA - 8 Hrs		STEL - 15 Min		Notes
METHYL METHACRYLATE	WEL	50 ppm	208 mg/m3	100 ppm	416 mg/m3	

WEL = Workplace Exposure Limit.

B3294 PLASTIC WELD ACTIVATOR

8.2. Exposure controls

Process conditions

Provide eyewash, quick drench.

Engineering measures

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded.

Respiratory equipment

If ventilation is insufficient, suitable respiratory protection must be provided.

Hand protection

Use protective gloves. Rubber or plastic.

Eye protection

Wear approved, tight fitting safety glasses where splashing is probable.

Hygiene measures

Keep away from food, drink and animal feeding stuffs. Good personal hygiene is necessary. Wash hands and other contaminated areas with water and soap before leaving the work site. When using do not eat, drink or smoke.

Skin protection

Protection suit must be worn.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance	Paste
Colour	Yellow. Black. White.
Odour	Slightly pungent odour.
Solubility	Not determined
Initial boiling point and boiling range	101
Melting point (°C)	Not available.
Relative density	0.96 20
Vapour density (air=1)	3.5
Vapour pressure	20 28 mm Hg
Evaporation rate	3 (butyl acetate = 1)
pH-Value, Conc. Solution	4.5-5.5 (5% diluted solution)
Viscosity	40, 000-60, 000 cps
Decomposition temperature (°C)	Not available.
Odour Threshold, Lower	Not available.
Odour Threshold, Upper	Not available.
Flash point	10
Auto Ignition Temperature (°C)	Not available.
Flammability Limit - Lower(%)	2.1
Flammability Limit - Upper(%)	12.5
Partition Coefficient (N-Octanol/Water)	Not available.
Explosive properties	Not available.
Oxidising properties	Not available.

9.2. Other information

No data available / Not applicable

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No Information

10.2. Chemical stability

B3294 PLASTIC WELD ACTIVATOR

Stable under normal temperature conditions and recommended use. May polymerise

10.3. Possibility of hazardous reactions

Hazardous Polymerisation

May polymerise.

10.4. Conditions to avoid

Heating will generate vapors which may form explosive vapor/air mixtures. Avoid heat, flames and other sources of ignition. Avoid excessive heat for prolonged periods of time. Avoid exposure to high temperatures or direct sunlight.

10.5. Incompatible materials

Materials To Avoid

Avoid contact with Oxidising agents

10.6. Hazardous decomposition products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. Fire or high temperatures create: Nitrous gases (NOx). Cyanides.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Inhalation

In high concentrations, vapours are narcotic and may cause headache, fatigue, dizziness and nausea. In high concentrations, vapours are anaesthetic and may cause headache, fatigue, dizziness and central nervous system effects.

Ingestion

Irritating. May cause nausea, stomach pain and vomiting.

Skin contact

May be absorbed through the skin. Irritating to skin. Prolonged or repeated exposure may cause severe irritation. Risk of sensitisation or allergic reactions among sensitive individuals.

Eye contact

Irritating to eyes. Risk of corneal damage.

Target Organs

Prolonged or repeated exposure may cause damage to: Liver Kidneys Respiratory system, lungs Central nervous system

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

Avoid release to the environment

12.1. Toxicity

Acute Fish Toxicity

No further relevant information available

12.2. Persistence and degradability

Degradability

Methyl methacrylate monomer: Biochemical oxygen demand within 5 days (BOD5)= .14 g/g - 0.9 g/g

12.3. Bioaccumulative potential

Partition coefficient

Not available.

12.4. Mobility in soil

Mobility:

Do not discharge into drains, water courses or onto the ground

12.5. Results of PBT and vPvB assessment

This product does not contain any PBT or vPvB substances.

12.6. Other adverse effects

B3294 PLASTIC WELD ACTIVATOR

Not available.

SECTION 13: DISPOSAL CONSIDERATIONS

General information

Waste to be treated as controlled waste. Disposal to licensed waste disposal site in accordance with local Waste Disposal Authority.

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements.

SECTION 14: TRANSPORT INFORMATION

General Classified as hazardous

14.1. UN number

UN No. (ADR/RID/ADN)	1133
UN No. (IMDG)	1133
UN No. (ICAO)	1133

14.2. UN proper shipping name

Proper Shipping Name Adhesives containing a flammable liquid

14.3. Transport hazard class(es)

ADR/RID/ADN Class	3
ADR/RID/ADN Class	Class 3: Flammable liquids.
IMDG Class	3

Transport Labels



14.4. Packing group

ADR/RID/ADN Packing group	III
IMDG Packing group	3
ICAO Packing group	3

14.5. Environmental hazards

Environmentally Hazardous Substance/Marine Pollutant

No.

14.6. Special precautions for user

Not available.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

No data available / Not applicable

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

15.2. Chemical Safety Assessment

B3294 PLASTIC WELD ACTIVATOR

No chemical safety assessment has been carried out.

SECTION 16: OTHER INFORMATION

Risk Phrases In Full

R22	Harmful if swallowed.
R11	Highly flammable
R37/38	Irritating to respiratory system and skin.
R38	Irritating to skin.
R43	May cause sensitisation by skin contact.

Hazard Statements In Full

H315	Causes skin irritation.
H302	Harmful if swallowed.
H225	Highly flammable liquid and vapour.
H317	May cause an allergic skin reaction.
H335	May cause respiratory irritation.

Disclaimer

PRECAUTIONS: This product and the auxiliary materials normally combined with it are capable of producing adverse health effects ranging from minor skin irritation to serious systemic effects. None of these materials should be used, stored, or transported until the handling precautions and recommendations stated in the material safety data sheets (MSDS) for this and all other products being used are understood by all persons who will work with the product.

WARRENTY: all products purchased from or supplied by Bondloc are subject to terms and conditions set out in the contract. Bondloc warrants only that its product will meet those specifications designated as such here in or in other publications. All other information supplied by Bondloc is considered accurate but are furnished on the expressed condition the customer shall make its own assessment to determine the products' suitability for a particular purpose. Bondloc makes no other warrenty, either expressed or implied, including those regarding such other information, the data upon which the same is based, the results to be obtained from the use there of; that any product shall be merchantable or fit for any particular purpose; all that the use of such other information or products will not infringe any patent.

SAFETY DATA SHEET B3294 PLASTIC WELD HARDENER

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name B3294 PLASTIC WELD HARDENER

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses 2 Part Adhesive

1.3. Details of the supplier of the safety data sheet

Supplier BONDLOC UK LTD
UNIT 2 BEWDLEY BUSINESS PARK
LONG BANK
BEWDLEY
WORCESTERSHIRE
DY12 2TZ
01299 269269
01299 269210
sales@bondloc.co.uk

1.4. Emergency telephone number

+44 (0)1299 269269 Monday - Friday 09:00-17:00 hrs

National Emergency Telephone Number

+44 (0)1299 269269 Mon-Fri 09:00-17:00hrs

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical and Chemical Hazards	Not classified.
Human health	Skin Irrit. 2 - H315; Eye Irrit. 2 - H319; Skin Sens. 1 - H317; STOT SE 3 - H335
Environment	Not classified.

Classification (1999/45/EEC)

Xi; R36/37/38. R43.

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

2.2. Label elements

Contains METHYL METHACRYLATE

Label In Accordance With (EC) No. 1272/2008



Signal Word Warning

Hazard Statements

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

Precautionary Statements

P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P313	Get medical advice/attention.
P501	Dispose of contents/container to ...

B3294 PLASTIC WELD HARDENER

Supplementary Precautionary Statements

P272	Contaminated work clothing should not be allowed out of the workplace.
P261	Avoid breathing vapour/spray.
P264	Wash contaminated skin thoroughly after handling.
P321	Specific treatment (see medical advice on this label).
P302+352	IF ON SKIN: Wash with plenty of soap and water.
P304+340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P312	Call a POISON CENTER or doctor/physician if you feel unwell.
P332+313	If skin irritation occurs: Get medical advice/attention.
P333+313	If skin irritation or rash occurs: Get medical advice/attention.
P337	If eye irritation persists:
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P403+233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.

2.3. Other hazards

None if used properly

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

METHACRYLIC ACID		1-5%
CAS-No.: 79-41-4	EC No.: 201-204-4	
Classification (EC 1272/2008) Acute Tox. 4 - H302 Acute Tox. 4 - H312 Skin Corr. 1A - H314 STOT SE 3 - H335	Classification (67/548/EEC) C;R35 Xn;R21/22	
METHYL METHACRYLATE		30-60%
CAS-No.: 80-62-6	EC No.: 201-297-1	
Classification (EC 1272/2008) Flam. Liq. 2 - H225 Skin Irrit. 2 - H315 Skin Sens. 1 - H317 STOT SE 3 - H335	Classification (67/548/EEC) F;R11 R43 Xi;R37/38	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation

Move to fresh air in case of accidental inhalation of vapours If required, provide artificial respiration Get medical attention.

Ingestion

Do not induce vomiting. Slowly dilute with 1-2 glasses of water or milk and seek medical attention Never give anything by mouth to an unconscious person

Skin contact

Wash the skin immediately with soap and water. Continue to rinse for at least 15 minutes and seek medical attention. Remove contaminated clothing. Wash contaminated clothing before re-use

Eye contact

immediately flush eyes with plenty of water for at least 15 minutes and get medical attention if irritation persists

4.2. Most important symptoms and effects, both acute and delayed

General information

No further relevant information available

B3294 PLASTIC WELD HARDENER

4.3. Indication of any immediate medical attention and special treatment needed

See section: Description of first aid measures

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media

Carbon dioxide, Dry chemical, Foam

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products

Oxides of: Carbon. Nitrogen.

Unusual Fire & Explosion Hazards

Closed containers may rupture or explode when exposed to extreme heat Keep containers cool irritating or toxic gases or fumes may be generated by thermal decomposition or combustion

5.3. Advice for firefighters

Special Fire Fighting Procedures

Water spray should be used to cool containers.

Protective equipment for fire-fighters

Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Wear protective equipment

6.2. Environmental precautions

Do not allow to enter drains, sewers or watercourses.

6.3. Methods and material for containment and cleaning up

Take up with an inert absorbent Store in a closed waste container until disposal

6.4. Reference to other sections

See section 7 for information on safe handling. See advice in section 8

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Keep away from heat, sparks and open flame.

7.2. Conditions for safe storage, including any incompatibilities

Do not store at temperatures about 38 C Keep away from heat, sparks and open flame. Ensure good ventilation/extraction

7.3. Specific end use(s)

2 Part adhesive

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Name	STD	TWA - 8 Hrs		STEL - 15 Min		Notes
METHACRYLIC ACID	WEL	20 ppm	72 mg/m ³	40 ppm	143 mg/m ³	
METHYL METHACRYLATE	WEL	50 ppm	208 mg/m ³	100 ppm	416 mg/m ³	

WEL = Workplace Exposure Limit.

8.2. Exposure controls

Respiratory equipment

An approved organic vapor respirator should be worn when exposures are expected to exceed the applicable limits

Hand protection

Use protective gloves made of: Nitrile. or Neoprene.

Eye protection

Wear approved safety goggles.

B3294 PLASTIC WELD HARDENER

Hygiene measures

Wash hands at the end of each work shift and before eating, smoking and using the toilet.

Skin protection

Neoprene or nitrile gloves recommended.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance	Paste
Colour	White / off-white.
Odour	Methacrylate
Solubility	Not determined
Initial boiling point and boiling range	~ 100 C
Melting point (°C)	Not determined.
Vapour density (air=1)	> 1
Vapour pressure	Not determined.
Evaporation rate	> 1 (butyl acetate = 1)
pH-Value, Conc. Solution	4.5-5.0 (5% solution or slurry in water)
Viscosity	No information available.
Decomposition temperature (°C)	No information available.
Odour Threshold, Lower	No information available.
Odour Threshold, Upper	No information available.
Flash point	No information available.
Auto Ignition Temperature (°C)	Not determined.
Flammability Limit - Lower(%)	2.1
Flammability Limit - Upper(%)	12.5
Partition Coefficient (N-Octanol/Water)	Not determined.
Explosive properties	Not determined.
Oxidising properties	Not determined.

9.2. Other information

No data available / Not applicable

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

Stable at normal conditions

10.2. Chemical stability

Stable under recommended storage conditions

10.3. Possibility of hazardous reactions

Hazardous Polymerisation

Will not polymerise.

10.4. Conditions to avoid

Avoid heat. Inert gas blanketing Freezing

10.5. Incompatible materials

Materials To Avoid

Strong oxidisers free radical initiators inert gases Strong bases Acids Strong reducing agents. Azo-compounds

B3294 PLASTIC WELD HARDENER

10.6. Hazardous decomposition products

Oxides of: Carbon. Nitrogen.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Toxicological information

See section 3

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

No information available.

12.1. Toxicity

Low ecotoxicity

12.2. Persistence and degradability

No further relevant information available

12.3. Bioaccumulative potential

Bioaccumulative potential

No data available on bioaccumulation.

Partition coefficient

Not determined.

12.4. Mobility in soil

Mobility:

No further relevant information available

12.5. Results of PBT and vPvB assessment

This product does not contain any PBT or vPvB substances.

12.6. Other adverse effects

Not available.

SECTION 13: DISPOSAL CONSIDERATIONS

General information

Dispose of in accordance with local and national regulations

13.1. Waste treatment methods

Disposal must be made according to official regulations

Waste Class

D001 as per 40CFR 261.21

SECTION 14: TRANSPORT INFORMATION

General

No other information noted.

14.1. UN number

UN No. (ADR/RID/ADN) 1133

UN No. (IMDG) 1133

14.2. UN proper shipping name

Proper Shipping Name Adhesives containing a flammable liquid

14.3. Transport hazard class(es)

ADR/RID/ADN Class 3

B3294 PLASTIC WELD HARDENER

ADR/RID/ADN Class Class 3: Flammable liquids.

IMDG Class 3

14.4. Packing group

ADR/RID/ADN Packing group II

IMDG Packing group II

14.5. Environmental hazards

Environmentally Hazardous Substance/Marine Pollutant

No.

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

No information required.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out.

SECTION 16: OTHER INFORMATION

Risk Phrases In Full

R35	Causes severe burns.
R21/22	Harmful in contact with skin and if swallowed.
R11	Highly flammable
R36/37/38	Irritating to eyes, respiratory system and skin.
R37/38	Irritating to respiratory system and skin.
R37	Irritating to respiratory system.
R43	May cause sensitisation by skin contact.

Hazard Statements In Full

H319	Causes serious eye irritation.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H225	Highly flammable liquid and vapour.
H317	May cause an allergic skin reaction.
H335	May cause respiratory irritation.