



SAFETY DATA SHEET

FIXT MULTI-GASKET

Page 1

Issued: 07/11/2011

Revision No: 2

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

Product name: FIXT MULTI-GASKET

Product code: FX085527

Contact details: Seymour Road
Nuneaton
Warwickshire
CV11 4LB

Tel: 02476 322126

Fax: 02476 322117

Email: info@fixtconsumables.com

Emergency Tel No: 02476 322196

2. HAZARDS IDENTIFICATION

Main hazards: Irritating to eyes, respiratory system and skin. May cause sensitisation by skin contact.

Workplace exposure limit: This substance does not have a workplace exposure limit.

PBT: This substance is not identified as a PBT substance.

Directive 1999/45/EC: This preparation meets the criteria for classification as dangerous in accordance with Directive 1999/45/EC.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous ingredients: 2-HYDROXYETHYL METHACRYLATE 1-10%

EINECS: 212-782-2 CAS: 868-77-9

[Xi] R36/38; [Sens.] R43

- AMORPHOUS SILICA (*WEL) 1-10%

EINECS: 231-545-4 CAS: 7631-86-9

- β -METHACRYLOYL OXYETHYL HYDROGEN SUCCINATE 1-10%

EINECS: 244-096-4 CAS: 20882-04-6

[Xi] R36/37/38; [Sens.] R43

- SACCHARIN (*WEL) 1-10%

EINECS: 201-321-0 CAS: 81-07-2

- METHACRYLIC DIESTER OF POLYETHYLENE GLYCOL 30-50%

CAS: 25852-47-5

[Xi] R36/38

- ETHYLENE GLYCOL 1-10%

EINECS: 203-473-3 CAS: 107-21-1

[Xn] R22

[cont...]

SAFETY DATA SHEET

FIXT MULTI-GASKET

- CUMENE HYDROPEROXIDE <1%
EINECS: 201-524-7 CAS: 80-15-9
[O] R7; [Xn] R21/22; [T] R23; [C] R34; [Xn] R48/20/22; [N] R51/53

4. FIRST AID MEASURES

- Skin contact:** Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.
- Eye contact:** Bathe the eye with running water for 15 minutes. Consult a doctor.
- Ingestion:** Wash out mouth with water. Consult a doctor.
- Inhalation:** Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

5. FIRE-FIGHTING MEASURES

- Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.
- Exposure hazards:** In combustion emits toxic fumes.
- Protection of fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions:** Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid.
- Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.
- Clean-up procedures:** Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

7. HANDLING AND STORAGE

- Handling requirements:** Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air.
- Storage conditions:** Store in cool, well ventilated area. Keep container tightly closed.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

- Hazardous ingredients:** AMORPHOUS SILICA
EU - 8 hour TWA: 3 mg/m³ (Respirable dust)
- SACCHARIN
EU - 8 hour TWA: 5 mg/m³ (Respirable dust)
 - ETHYLENE GLYCOL

SAFETY DATA SHEET

FIXT MULTI-GASKET

UK - 8 hour TWA: 52 mg/m3
 UK - 15 min. STEL: 104 mg/m3

- Engineering measures:** Ensure there is sufficient ventilation of the area.
- Respiratory protection:** Self-contained breathing apparatus must be available in case of emergency.
- Hand protection:** Protective gloves.
- Eye protection:** Safety glasses. Ensure eye bath is to hand.
- Skin protection:** Protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

State: Liquid

10. STABILITY AND REACTIVITY

- Stability:** Stable under normal conditions.
- Conditions to avoid:** Heat.
- Materials to avoid:** Strong oxidising agents. Strong acids.
- Haz. decomp. products:** In combustion emits toxic fumes.

11. TOXICOLOGICAL INFORMATION

- Acute effects:** Irritating to eyes, respiratory system and skin.
- Sensitisation:** May cause sensitisation by skin contact.

11. TOXICOLOGICAL INFORMATION (SYMPTOMS)

- Skin contact:** There may be irritation and redness at the site of contact.
- Eye contact:** There may be irritation and redness. The eyes may water profusely.
- Ingestion:** There may be soreness and redness of the mouth and throat.
- Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.
 Exposure may cause coughing or wheezing.

12. ECOLOGICAL INFORMATION

- Mobility:** Readily absorbed into soil.
- Persistence and degradability:** Biodegradable.
- Bioaccumulative potential:** No bioaccumulation potential.
- Other adverse effects:** Negligible ecotoxicity.
- PBT identification:** This substance is not identified as a PBT substance.

13. DISPOSAL CONSIDERATIONS

- Disposal operations:** Transfer to a suitable container and arrange for collection by specialised disposal company.
- NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

14. TRANSPORT INFORMATION**ADR / RID****UN no:** Not classified.**IMDG / IMO****UN no:** Not classified.**IATA / ICAO****UN no:** Not classified.**15. REGULATORY INFORMATION****Hazard symbols:** Irritant.**Risk phrases:** R36/37/38: Irritating to eyes, respiratory system and skin.

R43: May cause sensitisation by skin contact.

Safety phrases: S23: Do not breathe fumes.

S24/25: Avoid contact with skin and eyes.

S37/39: Wear suitable gloves and eye / face protection.

Haz. ingredients (label): 2-HYDROXYETHYL METHACRYLATE; β -METHACRYLOYL OXYETHYL HYDROGEN SUCCINATE**Note:** The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.**16. OTHER INFORMATION****Other information:** This safety data sheet is prepared in accordance with Regulation (EC) No 1907/2006.

* indicates text in the SDS which has changed since the last revision.

Risk phrases used in s.3: R36/38: Irritating to eyes and skin.

R43: May cause sensitisation by skin contact.

R36/37/38: Irritating to eyes, respiratory system and skin.

R22: Harmful if swallowed.

R7: May cause fire.

R21/22: Harmful in contact with skin and if swallowed.

R23: Toxic by inhalation.

R34: Causes burns.

SAFETY DATA SHEET

FIXT MULTI-GASKET

R48/20/22: Harmful: danger of serious damage to health by prolonged exposure through inhalation and if swallowed.

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

